

UOXX.S35689 - CONTROL UNIT ACCESSORIES, SYSTEM

Control Unit Accessories, System

See General Information for Control Unit Accessories, System

AVENGER SYSTEMS LLC
11586 Zagarolo Lane
Las Vegas, NV 89141 USA

S35689

Investigated to UL 864 (9th edition)

Abort Switch Model(s) AS1823-10, AS1823-40

Annunciator Model(s) AS1885-12, AS1885-14, AS1885-18, AS1885-42, AS1885-44, AS1885-48

Class A output modules Model(s) AS6040-00, AS6041-00

Contact module Model(s) AS6020-00, AS6021-00

Conventional Zone Modules Model(s) AS6011-00

Current Loop Module Model(s) AS6056-00, AS6057-00

eMatrix Mimic Displays Model(s) AS130X-YYY[+], AS132X-YYY[+], AS133X-YYY[+]

eView Remote Annunciators Model(s) AS1172-10, AS1172-40

Keyswitch Disable Module Model(s) AS6039-00

Monitor module Model(s) AS6024-00

Monitor modules Model(s) AS6007-00, AS6013-00

Relay modules Model(s) AS6052-00, AS6053-00, AS6054-00, AS6055-00

Releasing modules Model(s) AS6043-00

Short circuit isolators Model(s) AS6003-00

Investigated to UL 864 (10th edition)

Ancillary Board with Enclosure Model(s) AS1822-10, AS1822-40

Lamp Status Unit Model(s) AS1821-11, AS1821-12, AS1821-13, AS1821-14, AS1821-41, AS1821-42, AS1821-43, AS1821-44

Manual Extinguishant Disablement Switch Model(s) AS1832-10, AS1832-40

Network annunciator "Oasis" Model(s) OVC00NC10, OVC00NC40, OVC00NC60, OVC10NC10, OVC10NC40, OVC10NC60, OVC20NC10, OVC20NC40, OVC20NC60, OVC30NC10, OVC30NC40, OVC30NC60

Subassembly, Main Board Model(s) S787

[+] - Where X can be the number 1 or 2 or 4 denotes color of enclosure, and YYY denotes the number of LED extension boards, which can be either 2, 4, or 5 boards.

Last Updated on 2019-06-26

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"